

For all your towing needs...



MASTERTRACK

RADIAL ST TRAILER TIRES



Memphis, TN
www.mastertracktires.com
info@unicorntire.com

*Mastertrack,
tracking your every milestone,
is a symbol of your undying support.*

UN203

- Premium Quality
- Proven History
- Economically Priced
- Exceptional Tracking
- Radial Design
- Cooler Running



UN-ALL STEEL

- Premium Quality
- Economically Priced
- All-Steel Construction
- Exceptional Tracking
- Radial Design
- Cooler Running



UN-ALL STEEL-1

- Premium Quality
- Economically Priced
- All-Steel Construction
- Exceptional Tracking
- Radial Design
- Cooler Running



Item No	Tire Size	PR	LR	LI	SR	Rim	S.W.		O.D.		Max. Load				Max PSI		Tread Depth		BARCODE	40' HC QTY	Tread Construction	Pattern
							in	mm	in	mm	Single		Dual		psi	kpa	32nd	mm				
											lbs	kg	lbs	kg								
HF-ST38	ST175/80R13	6	C	91/87	M	5.00B	7.0	177	24	610	1360	617	1200	545	50	350	9.0	7.0	812561021994	1800	2S+1P	UN203
HF-ST39	ST205/75R14	6	C	100/96	M	5.5J	8.0	203	26.1	664	1760	800	1570	710	50	350	10.0	8.0	812561022007	1300	2S+2P	UN203
HF-ST52	ST205/75R14	8	D	105/101	M	5.5J	8.0	203	26.1	664	2040	925	1820	825	65	450	10.0	8.0	812561022946	1300	2S+2P	UN203
HF-ST40	ST215/75R14	6	C	102/98	M	6J	8.5	216	26.7	678	1870	850	1650	750	50	350	10.0	8.0	812561022014	1170	2S+2P	UN203
HF-ST41	ST205/75R15	6	C	101/97	M	5.5J	8.0	203	27.1	689	1820	825	1610	730	50	350	10.0	8.0	812561022021	1160	2S+2P	UN203
HF-ST42	ST205/75R15	8	D	107/102	M	5.5J	8.0	203	27.1	689	2150	975	1870	850	65	450	10.0	8.0	812561022038	1160	2S+2P	UN203
HF-ST43	ST225/75R15	8	D	113/108	M	6J	8.8	223	28.3	719	2540	1150	2200	1000	65	450	10.0	8.0	812561022045	980	2S+2P+1N	UN203
HF-ST44	ST225/75R15	10	E	117/112	M	6J	8.8	223	28.3	719	2860	1300	2470	1120	80	550	10.0	8.0	812561022052	980	2S+2P+1N	UN203
HF-ST45	ST235/80R16	10	E	124/120	M	6.5J	9.3	235	30.8	782	3520	1600	3080	1400	80	550	10.0	8.0	812561022069	770	2S+2P+1N	UN203
HF-ST54	ST235/80R16	12	F	127/122	M	6.5J	9.3	235	30.8	782	3860	1750	3300	1500	100	690	10.0	8.0	812561023295	770	2S+2P+2N	UN203
HF-ST46	ST235/85R16	10	E	125/122	M	6.5J	9.3	235	31.7	806	3640	1650	3305	1500	80	550	10.0	8.0	812561022076	730	2S+2P+1N	UN203
HF-ST50	ST235/85R16	12	F	128/124	M	6.5J	9.3	235	31.7	806	3960	1800	3520	1600	95	660	10.0	8.0	812561022939	730	2S+2P+2N	UN203
ALL STEEL CONSTRUCTION																						
HF-ST51	ST225/75R15	12	F	121/117	M	6.00	8.8	223	28.3	719	3195	1450	2835	1285	95	660	13.0	10.0	812561022953	980	4S	UN - ALL STEEL-1
HF-ST55	ST235/80R16	14	G	129/125	L	6.50	9.3	235	30.8	782	4080	1850	3640	1650	110	760	12.0	9.5	812561023301	770	4S	UN - ALL STEEL
HF-ST49	ST235/85R16	14	G	132/127	L	6.50	9.3	235	31.7	805	4400	2000	3860	1750	110	760	12.0	9.5	812561022878	730	4S	UN - ALL STEEL
HF-ST57	ST225/90R16	14	G	129/125	L	6.00	8.7	220	31.8	808	4080	1850	3640	1650	110	760	13.0	10.0	812561023318	740	4S	UN - ALL STEEL-1

For all your towing needs...

Limited Casing Warranty

- Select sizes of MASTERTRACK medium radial truck tires are covered under the Limited Radial Casing Retread Allowance to the original purchaser through the life of the second retread up to a period of five years from the date of manufacture.
- Unicorn Tire Corporation warrants the integrity of the medium radial truck tire casing. Unicorn Tire Corporation does not warrant the integrity of the retreading process.
- Amount of credit through the life of the 1st retread until 2/32nds remaining tread can be found in the chart. The credit amount through the 2nd retread until 2/32nds remaining tread will be 60% of the allowance.
- This limited casing warranty is subject to the terms and conditions as set forth by Unicorn Tire Corporation. Please see the Unicorn Tire Warranty Policy for complete details.



Tire Size	PR	LR	LI	Max. Load		Max Pressure		Tread Depth	Pattern
				Single	Dual	Single			
				lbs	lbs	psi	32nd		
215/75R17.5	16	H	135/133	4805	4540	123	16.4	M-TRAC AP	
235/75R17.5	16	H	143/141	6005	5675	128	16.4	M-TRAC AP	
225/70R19.5	14	G	128/126	3970	3750	110	16.4	M-TRAC AP	
245/70R19.5	16	H	136/134	4940	4675	120	17.6	M-TRAC AP	
255/70R22.5	16	H	140/137	5510	5070	120	18.3	M-TRAC AP	
275/70R22.5	16	H	148/145	6940	6395	130	18.3	M-TRAC AP	
295/75R22.5	14	G	144/141	6175	5675	110	17.9	M-TRAC AP	
295/75R22.5	16	H	146/143	6610	6005	120	17.9	M-TRAC AP	
285/75R24.5	14	G	144/141	6175	5675	110	17.9	M-TRAC AP	
285/75R24.5	16	H	147/144	6780	6175	120	17.9	M-TRAC AP	
11R22.5	16	H	148/145	6940	6390	123	17.9	M-TRAC AP	
11R24.5	16	H	149/146	7160	6610	120	17.9	M-TRAC AP	
295/75R22.5	14	G	144/141	6175	5675	110	26.0	M-TRAC CSD	
295/75R22.5	16	H	146/143	6610	6005	120	26.0	M-TRAC CSD	
285/75R24.5	14	G	144/141	6175	5675	110	26.0	M-TRAC CSD	
285/75R24.5	16	H	147/144	6780	6175	120	26.0	M-TRAC CSD	
11R22.5	16	H	148/145	6940	6390	123	26.0	M-TRAC CSD	
11R24.5	16	H	149/146	7160	6610	120	26.0	M-TRAC CSD	
295/75R22.5	14	G	144/141	6175	5675	110	26.0	M-TRAC OSD	
11R22.5	16	H	146/143	6610	6005	120	26.0	M-TRAC OSD	
11R24.5	16	H	149/146	7160	6610	120	26.0	M-TRAC OSD	
225/70R19.5	14	G	128/126	3970	3750	110	19.5	M-TRAC HTD	
245/70R19.5	16	H	136/134	4940	4675	120	20.2	M-TRAC HTD	
295/75R22.5	14	G	144/141	6175	5675	110	13.9	M-TRAC TR	
11R22.5	14	G	144/142	6175	5840	105	13.9	M-TRAC TR	
11R22.5	16	H	146/143	6610	6005	120	21.2	M-TRAC MS	
11R24.5	16	H	149/146	7160	6610	120	21.2	M-TRAC MS	
315/80R22.5	20	L	157/154	9090	8270	130	20.8	M-TRAC MS	
425/65R22.5	20	L	165	11340		120	23.0	M-TRAC MSF	



Memphis, TN
www.mastertracktires.com
info@unicortire.com



MASTERTRACK COMMERCIAL



M-TRAC^{AP}

Steer/All Position



- Four belt construction for enhanced durability and retreadability
- High scrub tread compound for extended tread life
- Computer-designed casing enhances footprint to extend tire life
- Four circumferential grooves enhance water evacuation
- Multiple sipes provide outstanding traction on both dry and wet roads
- Five-year retread warranty

M-TRAC^{CSD}

Closed Shoulder Drive



- Four belt construction for enhanced durability and retreadability
- Wide shoulders enhance stability and performance for even wear
- Optimized block design and stone ejectors prevent tread chunking
- Fuel-efficient tread compound provides for greater cost savings
- Four zig-zag grooves enhance traction in both dry and wet conditions
- Five-year retread warranty

M-TRAC^{OSD}

Open Shoulder Drive



- Four belt construction for enhanced durability and retreadability
- Open shoulder design and zig-zag grooves for on and off-road traction
- Deep grooves and wider footprint provides longer tread life
- Cut resistant tread compound to resist off-highway damage
- Optimized tread block design help prevent irregular wear
- Five-year retread warranty

M-TRAC^{TR}

Trailer



- Four belt construction for enhanced durability and retreadability
- Smooth lined edges at groove increase fuel efficiency
- Linear four-groove pattern offers exceptional tracking in all conditions
- Shoulder rib designed to enhance stability on the road
- 14/32" tread depth for extended tread life
- Five-year retread warranty

M-TRAC^{HTD}

High Traction Drive



- Zero-degree belt technology provides even wear
- Integrated tie bars reduce irregular wear and enhance stability
- Tapered lateral grooves enhance performance in all weather applications
- Interlocking tread blocks and symmetrical design promote even wear
- Angled lug and siping design improves overall traction and wet grip
- Five-year retread warranty

M-TRAC^{MS}

Mixed Service



- Four belt construction for enhanced durability and retreadability
- New tread design promotes improved stability and even wear
- Aggressive tread block design for excellent traction both on and off-road
- Stone ejectors in the grooves help prevent stone drilling
- Special tread compounds resist chipping, chunking, and tearing
- Five-year retread warranty

